


ASTEN LED IP44

LED wall mounted fitting



[V] 220-240 AC	[Hz] 50	≥15000	25000	ellipse ≤ 60 MacAdam	Ra 80	SMD
		IP 44		°C 5÷30		
[mm] 0.75÷1.5		0,1m				



ASTEN LED IP44 8W-NW

		[W]		[lm]	Tc [K]
ASTEN LED IP44 8W-NW	26680	8	chrome	650	4000
ASTEN LED IP44 12W-NW	26681	12	chrome	1000	4000
ASTEN LED IP44 15W-NW	26682	15	chrome	1350	4000
ASTEN IP44 8W-NW-B	26683	8	black	570	4000
ASTEN IP44 12W-NW-B	26684	12	black	850	4000
ASTEN IP44 15W-NW-B	26685	15	black	1150	4000
ASTEN IP44 8W-NW-W	26686	8	white	810	4000
ASTEN IP44 12W-NW-W	26687	12	white	1250	4000
ASTEN IP44 15W-NW-W	26688	15	white	1650	4000

Kanlux ASTEN LED is a linear wall luminaire to be used in places with increased humidity (IP44). You can easily mount it above the bathroom mirror. The lamp has a built-in light source based on SMD LED diodes, which lifetime is at least 25,000 hours.

- Enclosure material: aluminum alloy
- Lampshade material: plastic

ASTEN LED IP44

LED wall mounted fitting



ASTEN LED IP44 8W-NW



ASTEN LED IP44 12W-NW



ASTEN LED IP44 15W-NW



ASTEN IP44 8W-NW-B



ASTEN IP44 12W-NW-B



ASTEN IP44 15W-NW-B



ASTEN IP44 8W-NW-W




ASTEN IP44 12W-NW-W

ASTEN LED IP44


LED wall mounted fitting




ASTEN IP44 15W-NW-W



ASTEN LED IP44 8W



ASTEN LED IP44 12W



ASTEN LED IP44 15W