

LED lamps/torches and Compact floodlights



INFO


LED lamps/torches

Industrial quality

HAUPA high-performance LED lamps/torches for daily work use

Extremely high illumination performance with minimum battery load thanks to highly modern **CREE LED** bulbs

LED „Mini Torch“




- Compact
- Very small and light
- Extremely high lighting performance
- LED 3 Watt CREE XR-E
- 1xAAA battery



Art. no.	size	kg	PU
130310	Ø 20 x 92,5 mm	0,080	1

LED „Focus Torch“



- Adjustable focus for near and far
- LED 3 Watt CREE XP-E
- 3xAAA batteries



Art. no.	size	kg	PU
130312	Ø 34,4 x 115 mm	0,200	1

LED „IP67 Torch“



- IP67, dust-tight, protected against brief submersion (water-tight)
- 1 x switch operation 100 % lighting performance
- 2 x switch operation 30 % lighting performance
- LED 5 Watt CREE XP-G
- 4xAAA batteries



Art. no.	size	kg	PU
130314	Ø 40,5 x 141 mm	0,440	1

LED „RC Torch“



- Rechargeable battery, lithium-ion 2200 mAh 3.7 V
- Integrated charging unit
- 1 x switch operation 100 % lighting performance
- 2 x switch operation 30 % lighting performance
- Additional battery holder as backup
- Deep discharge protection
- LED 5 Watt CREE XP-G
- Charging cable 230 Volt, charging cable for automobile
- Battery holder (battery operation is an alternative)



Art. no.	size	kg	PU
130316	Ø 40,5 x 180 mm	0,440	1

LED „Max Torch“



- Illumination range: 300 m
- LED 10 Watt CREE XML-T6
- Extreme illumination range
- 1 x switch operation 100 % lighting performance, 2 x switch operation 25 % lighting performance
- 3x C batteries included
- Including wrist strap



Art. no.	size	kg	PU
130324	Ø 40,5 x 234 mm	0,440	1

LED lamps/torches

LED „Pen Torch“



- Illumination range: 50 m
- 50 Lm
- LED 1 Watt CREE
- With clip
- 2xAAA batteries



Art. no.	size	kg	PU
130328	Ø 14 x 143 mm	0,200	1

LED „Headlight“ headlamp



- Very light and balanced headlamp (battery compartment at the rear)
- 4 lighting levels:
Switch position 1 = 100 % lighting performance
Switch position 2 = 80 % lighting performance
Switch position 3 = 30 % lighting performance
Switch position 4 = red LED
- LED 3 Watt CREE XP-E
- 2xAA batteries



Art. no.	size	kg	PU
130318	143 mm	0,180	1

Holster for LED torches

Suitable for item numbers: 130312, 130314



Art. no.	width	depth	height	kg	PU
130322	30	10	100	0,180	1

LED Battery-powered „Working Lamp“



- Extremely large lighting range (Working area) light cone
- Rechargeable battery, lithium-ion 2000 mAh 3.7 V
- Integrated charging unit
- 1 x switch operation 100 % lighting performance
- 2 x switch operation 20 % lighting performance
- 3 x switch operation gives a flash
- Deep discharge protection
- Holding magnetic on the rear
- Emergency light function in the event of power failure (Approximately 19 hours of illumination)
- LED 3 Watt CREE XP-E
- Charging cable 230 Volt
- Charging cable for automobile
- Wall mount, colour disks




Art. no.	size	kg	PU
130320	Ø 100 x 105 x 260 mm	0,180	1

Signal light „HUPemergency“



- 16 x LED
- 9 different flashing modes
- High-quality plastic, drop-protected and weather-proof
- Integrated lithium ion battery pack
- Charging cable 230 Volt, car charging cable
- Magnetic, with hanging eye



Art. no.	size	kg	PU
130326	Ø 105 x 3,5 mm	0,200	1

haupa

...convincing solutions

Compact floodlight "HUPlight10"



- Rechargeable battery, lithium-ion 4400 mAh 7,4 V
- LED 10 Watt
- High quality aluminium housing, protected against spray water in accordance with IP54
- Extremely bright light
- Lighting performance is variable, can be dimmed
- at least 7 hours of operating power
- External devices may be charged via USB connections
- Charging cable 230 Volt, car charging cable



Art. no.	Watt	size	kg	PU
130330	10	167 x 185 x 260 mm	1,470	1
130330/A	10	with 2 battery packs	1,810	1

Mini working light "HUPlight4"



- Rechargeable battery, lithium-ion 1800 mAh 3.7 V
- LED 4 Watt
- Approximately 200 Lumen lighting performance
- Approximately 3 hours lighting performance
- Lamp may be charged using the micro USB port
- Stand may be angled
- Dual magnetic bracket
- Hook for securing and hanging
- Can be used and carried everywhere



Art. no.	Watt	size	kg	PU
130336	4	60 x 25 x 120 mm	0,260	1

Compact floodlight "HUPlight20"



- Rechargeable battery, lithium-ion 8800 mAh 7,4 V
- LED 20 Watt
- High quality aluminium housing, protected against spray water in accordance with IP54
- Extremely bright light
- Lighting performance is variable, can be dimmed
- at least 8 hours of operating power
- External devices may be charged via USB connections
- Charging cable 230 Volt, car charging cable



Art. no.	Watt	size	kg	PU
130332	20	245 x 185 x 275 mm	2,390	1
130332/A	20	with 2 battery packs	2,963	1

Replacement battery to "HUPlight10"



- Lithium-ion battery 4400 mAh 7.4 V
- protected against spray water in accordance with IP54



Art. no.	Volt	A	size	kg	PU
130331	7.4	4400	92 x 75 x 65 mm	0,340	1

Replacement battery to "HUPlight20"




- Lithium-ion battery 8800 mAh 7.4 V
- protected against spray water in accordance with IP54




Art. no.	Volt	A	size	kg	PU
130333	7.4	8800	120 x 75 x 87 mm	0,573	1

Compact floodlight "HUPlight50" with Bluetooth



- Lithium-ion battery 13.2 AH 7.4 V
- 50 Watt LED
- High quality aluminium housing + PC, protects against splashes according to IP54
- Extremely bright light
- Lighting performance is variable, 50% | 100%
- Operating time:
 - about 5 hours for just the lighting (at 100% light intensity),
 - about 10 hours for just the lighting (at 50% light intensity),
 - about 4 hours for lighting + Bluetooth speaker,
 - around 15 hours for just the Bluetooth loudspeaker.
- Loading of external devices via USB port
- Charger: 230 V Power Supply (12 V 2.3 A)
- 12 V Car charger
- Bluetooth
- adjustable stand



Art. no.	Watt	size	kg	PU
130338	50	260 x 110 x 275 mm	2,240	1
130338/A	50	with 2 battery packs	2,950	1

Replacement battery to "HUPlight50"



- Lithium-ion battery 13.2 AH 7.4 V
- protected against spray water in accordance with IP54



Art. no.	Volt	A	size	kg	PU
130339	7.4	13,2	130 x 115 x 45 mm	0,710	1

Magnetic holder for "HUPlight50"



- magnetic
- extra-strong magnet




Art. no.	size	kg	PU
130340	170 x 140 x 40 mm	0,470	1

Stand for "HUPlight50"



- Dimensions: 115 x 115 x 180 (Height) cm
- Adjustable height maximum height 1.80 m



Art. no.	size	kg	PU
130342	1150 x 1150 x 1800 mm	1,470	1