SA-M-8.8.1 1/4



PRODUCT-DETAILS

SA-M-8.8.1

SA-M-8.8.1 Switch Actuator I/O, 8-fold, 6 A, MDRC



General Information	
Extended Product Type	SA-M-8.8.1
Product ID	2CDG510007R0011
EAN	4016779945561
Catalog Description	SA-M-8.8.1 Switch Actuator I/O, 8-fold, 6 A, MDRC
Long Description	Combination device with 8 binary inputs and 8 switch actuators. Conventional push- buttons or auxiliary contacts can be connected to 8 channels. The information of the contact enquiry can be used for activating ABB-free@home® actuators or for recording status information. The contact polling voltage is made available by the device itself.

Installation	
Instructions and Manuals	2CDG941169P0003
Mounting Type	DIN-Rail

Environmental

SA-M-8.8.1 2/4

Degree of Protection IP20

Technical	
Data Sheet, Technical Information	2CDC5501D0201
Contact Position Indication	ON / OFF
Number of Outputs	8
Maximum Number of Switching Outputs	8
Number of Digital Inputs	8
Compatible Bus Systems	free@home (TP)
Product Range	free@home
Manual Operation	Yes
Suitable for C-Load	No
Number of Batteries	0

Electrical	
Voltage Range	230 V
Output Voltage (U _{out})	230 V AC
Rated Current (I _n)	6 A
Maximum Switching Current	6 A
Maximum Switching Power	1200 W
Power Loss	2 W

Design	
Color	grey

Dimensions	
Width in Number of Modular Spacings	8.0
Product Net Width	144 mm
Product Net Height	90 mm
Product Net Depth / Length	64.5 mm
Product Net Weight	0.3 kg
Built-In Depth (t ₂)	64.5 mm
Dimension Diagram	2CDC072027F0017

Ordering	
E-Number (Finland)	2815554
E-Number (Norway)	4549794
E-Number (Sweden)	1701127

SA-M-8.8.1 3/4

Material Compliance	
RoHS Information	2CDK505161D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK107492A1906
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240123
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	feb5b055-0850-4176-8cec-6727dc718e24 Germany
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Certificates and Declarations	
Cyber Security Software Support Period	2 year
Declaration of Conformity - CE	2CDK505161D2701

External Classifications and Standards	
ETIM 9	EC001097 - Switch actuator for bus system
eClass	V11.0 : 27143125
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator
Object Classification Code	А

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Lighting\ Control \rightarrow Switch\ Actuators\ 6.A.$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Standard\ Outputs \rightarrow Switch\ Actuators\ 6\ A$

SA-M-8.8.1 4/4









360°